


TopZinc Tape S -zabezpieczenie antykorozyjne stropów z belkami stalowymi


DOBÓR ILOŚCI TAŚM TOPZINC TAPE S na 1mb kształtownika- STROPY



Symbol	Element [mm] A	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
INP				
INP 80	42	-	1	-
INP 100	50	2	-	-
INP 120	58	2	-	-
INP 140	66	2	-	-
INP 160	74	1	1	-
INP 180	82	-	2	-
INP 200	90	-	2	-
INP 220	98	2	1	-
INP 240	106	3	-	-
INP 260	113	2	1	-
INP 300	125	-	3	-
INP 340	137	1	-	2
INP 360	143	-	1	2
INP 400	155	-	-	3
INP 450	170	1	-	3
INP 500	185	-	1	3
INP 550	200	-	-	4
IPE				
IPE 80	46	-	1	-
IPE 100	55	-	1	-
IPE 120	64	2	-	-
IPE 140	73	2	-	-
IPE 160	82	2	-	-
IPE 180	91	2	-	-
IPE 200	100	1	1	-
IPE 220	110	1	1	-
IPE240	120	1	1	-
IPE 270	135	-	2	-
IPE 300	150	-	2	-
IPE 330	160	1	2	-
IPE360	170	1	2	-
IPE400	180	1	2	-
IPE 450	190	-	-	2
IPE 500	200	1	-	2
IPE 550	210	1	-	2
IPE 600	220	-	1	2
HEA				
HEA 100	100	2	-	-
HEA 120	120	2	-	-
HEA 140	140	2	-	-
HEA 160	160	2	-	-
HEA 180	180	2	-	-
HEA 200	200	2	-	-
HEA 220	220	1	1	-
HEA 240	240	1	1	-
HEA 260	260	-	2	-
HEA 280	280	-	2	-
HEA 300	300	1	2	-
HEA 320	300	1	2	-
HEA 340	300	1	2	-
HEA 360	300	1	2	-
HEA 400	300	-	-	2
HEA 450	300	1	-	2
HEA 500	300	1	-	2
HEA 550	300	-	1	2
HEA 600	300	1	1	2
HEA 650	300	1	-	3
HEA 700	300	1	-	3
HEA 800	300	-	1	3
HEA 900	300	1	-	4
HEA 1000	300	1	-	4

TopZinc Tape S -zabezpieczenie antykorozyjne stropów z belkami stalowymi

DOBÓR ILOŚCI TAŚM TOPZINC TAPE S na 1mb kształtownika- stropy



Symbol	Element [cm] A	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
HEB				
HEB 100	100	2	-	-
HEB 120	120	2	-	-
HEB 140	140	1	1	-
HEB 160	160	1	1	-
HEB 180	180	1	2	-
HEB 200	200	1	2	-
HEB 220	220	1	1	-
HEB 240	240	1	1	-
HEB 260	260	1	1	-
HEB 280	280	1	1	-
HEB 300	300	1	1	-
HEB 320	300	1	-	2
HEB 340	300	1	-	2
HEB 360	300	1	-	2
HEB 400	300	1	-	2
HEB 450	300	1	-	3
HEB 500	300	1	-	3
HEB 550	300	1	-	3
HEB 600	300	1	-	3
HEB 650	300	-	1	3
HEB 700	300	-	-	4
HEB 800	300	1	-	4
HEB 900	300	-	1	4
HEB 1000	300	1	-	5
HEM				
HEM 100	106	-	-	2
HEM 120	126	-	-	2
HEM 140	146	1	-	2
HEM 160	166	1	-	2
HEM 180	186	1	-	2
HEM 200	206	1	-	2
HEM 220	226	1	-	2
HEM 240	248	-	-	3
HEM 260	268	1	-	3
HEM 280	288	1	-	3
HEM 300	310	-	-	4
HEM 320	309	-	-	4
HEM 340	309	-	-	4
HEM 360	309	-	-	4
HEM 400	307	1	-	4
HEM 450	307	1	-	4
HEM 500	306	1	-	4
HEM 550	306	1	-	4
HEM 600	305	1	-	4
HEM 650	305	-	1	4
HEM 700	304	-	1	4
HEM 800	303	1	-	5
HEM 900	302	1	-	5
HEM 1000	302	-	1	5

TopZinc Tape S -zabezpieczenie antykorozyjne stali kształtowej


DOBÓR ILOŚCI TAŚM TOPZINC TAPE S na 1mb kształtownika- DWUTEOWNIKI



Symbol	Element A lub B [mm]	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
INP				
INP 80	42	-	1	-
INP 100	50	2	-	-
INP 120	58	2	-	-
INP 140	66	2	-	-
INP 160	74	1	1	-
INP 180	82	-	2	-
INP 200	90	-	2	-
INP 220	98	2	1	-
INP 240	106	3	-	-
INP 260	113	2	1	-
INP 300	125	-	3	-
INP 340	137	1	-	2
INP 360	143	-	1	2
INP 400	155	-	-	3
INP 450	170	1	-	3
INP 500	185	-	1	3
INP 550	200	-	-	4
IPE				
IPE 80	46	-	1	-
IPE 100	55	-	1	-
IPE 120	64	2	-	-
IPE 140	73	2	-	-
IPE 160	82	2	-	-
IPE 180	91	2	-	-
IPE 200	100	1	1	-
IPE 220	110	1	1	-
IPE240	120	1	1	-
IPE 270	135	-	2	-
IPE 300	150	-	2	-
IPE 330	160	1	2	-
IPE360	170	1	2	-
IPE400	180	1	2	-
IPE 450	190	-	-	2
IPE 500	200	1	-	2
IPE 550	210	1	-	2
IPE 600	220	-	1	2
HEA				
HEA 100	100	2	-	-
HEA 120	120	2	-	-
HEA 140	140	2	-	-
HEA 160	160	2	-	-
HEA 180	180	2	-	-
HEA 200	200	2	-	-
HEA 220	220	1	1	-
HEA 240	240	1	1	-
HEA 260	260	-	2	-
HEA 280	280	-	2	-
HEA 300	300	1	2	-
HEA 320	300	1	2	-
HEA 340	300	1	2	-
HEA 360	300	1	2	-
HEA 400	300	-	-	2
HEA 450	300	1	-	2
HEA 500	300	1	-	2
HEA 550	300	-	1	2
HEA 600	300	1	1	2
HEA 650	300	1	-	3
HEA 700	300	1	-	3
HEA 800	300	-	1	3
HEA 900	300	1	-	4
HEA 1000	300	1	-	4

TopZinc Tape S -zabezpieczenie antykorozyjne stali kształtowej


DOBÓR ILOŚCI TAŚM TOPZINC TAPE S na 1mb kształtownika- DWUTEOWNIKI



Symbol	Element A lub B [mm]	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
HEA				
HEB 100	100	2	-	-
HEB 120	120	2	-	-
HEB 140	140	1	1	-
HEB 160	160	1	1	-
HEB 180	180	1	2	-
HEB 200	200	1	2	-
HEB 220	220	1	1	-
HEB 240	240	1	1	-
HEB 260	260	1	1	-
HEB 280	280	1	1	-
HEB 300	300	1	1	-
HEB 320	300	1	-	2
HEB 340	300	1	-	2
HEB 360	300	1	-	2
HEB 400	300	1	-	2
HEB 450	300	1	-	3
HEB 500	300	1	-	3
HEB 550	300	1	-	3
HEB 600	300	1	-	3
HEB 650	300	-	1	3
HEB 700	300	-	-	4
HEB 800	300	1	-	4
HEB 900	300	-	1	4
HEB 1000	300	1	-	5
HEM				
HEM 100	106	-	-	2
HEM 120	126	-	-	2
HEM 140	146	1	-	2
HEM 160	166	1	-	2
HEM 180	186	1	-	2
HEM 200	206	1	-	2
HEM 220	226	1	-	2
HEM 240	248	-	-	3
HEM 260	268	1	-	3
HEM 280	288	1	-	3
HEM 300	310	-	-	4
HEM 320	309	-	-	4
HEM 340	309	-	-	4
HEM 360	309	-	-	4
HEM 400	307	1	-	4
HEM 450	307	1	-	4
HEM 500	306	1	-	4
HEM 550	306	1	-	4
HEM 600	305	1	-	4
HEM 650	305	-	1	4
HEM 700	304	-	1	4
HEM 800	303	1	-	5
HEM 900	302	1	-	5
HEM 1000	302	-	1	5

TopZinc Tape S -zabezpieczenie antykorozyjne stali kształtowej


DOBÓR ILOŚCI TAŚM TOPZINC TAPE S na 1mb kształtownika-TEOWNIKI



Symbol	Element A [mm]	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
TEOWNIK				
T 30	30	-	1	-
T 35	35	-	1	-
T 40	40	-	1	-
T 50	50	-	-	1
T 60	60	2	-	-
T 70	70	-	2	-
T 80	80	-	2	-
T 100	100	-	1	1
T 120	120	-	-	2
T 140	140	-	3	-

TopZinc Tape S -zabezpieczenie antykorozyjne stali kształtowej


DOBÓR ILOŚCI TAŚM TOPZINC TAPE S na 1mb kształtownika- CEOWNIKI C



Symbol	Element A lub B [mm]	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
CEOWNIK C				
C 35	35	1	-	-
C 40	20	1	-	-
C 45	38	1	-	-
C 50	38	1	-	-
C 65	42	-	1	-
C 80	45	-	1	-
C 100	50	-	1	-
C 120	55	-	1	-
C 140	60	-	-	1
C 160	65	-	-	1
C 180	70	-	-	1
C 200	75	-	-	1
C 220	80	-	-	1
C 240	85	-	-	1
C 260	90	2	-	-
C 280	95	-	2	-
C 300	100	-	2	-
Symbol	Element C [mm]	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
CEOWNIK C				
C 35	35	1	-	-
C 40	40	1	-	-
C 45	45	1	-	-
C 50	50	1	-	-
C 65	65	1	-	-
C 80	80	1	-	-
C 100	100	1	-	-
C 120	120	1	-	-
C 140	140	1	-	-
C 160	160	-	1	-
C 180	180	-	1	-
C 200	200	-	1	-
C 220	220	-	1	-
C 240	240	-	-	1
C 260	260	-	-	1
C 280	280	-	-	1
C 300	300	-	-	1

TopZinc Tape S -zabezpieczenie antykorozyjne stali kształtowej


DOBÓR ILOŚCI TAŚM TOPZINC TAPE S na 1mb kształtownika- CEOWNIKI UNP



Symbol	Element A lub B [mm]	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
CEOWNIK UNP				
UNP 50	38	1	-	-
UNP 65	42	-	1	-
UNP 80	45	-	1	-
UNP 100	50	-	1	-
UNP 120	55	-	1	-
UNP 140	60	-	-	1
UNP 160	65	-	-	1
UNP 180	70	-	-	1
UNP 200	75	-	-	1
UNP 220	80	-	-	1
UNP 240	85	-	-	1
UNP 260	90	2	-	-
UNP 280	95	-	2	-
UNP 300	100	-	2	-
UNP 320	100	-	2	-
UNP 350	100	-	2	-
UNP 380	102	-	2	-
UNP 400	110	-	2	-
Symbol	Element C [mm]	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
CEOWNIK UNP				
UNP 50	38	1	-	-
UNP 65	42	1	-	-
UNP 80	45	1	-	-
UNP 100	50	1	-	-
UNP 120	55	1	-	-
UNP 140	60	1	-	-
UNP 160	65	-	1	-
UNP 180	70	-	1	-
UNP 200	75	-	1	-
UNP 220	80	-	1	-
UNP 240	85	-	-	1
UNP 260	90	-	-	1
UNP 280	95	-	-	1
UNP 300	100	-	-	1
UNP 320	100	1	-	-
UNP 350	100	1	-	-
UNP 380	102	1	-	-
UNP 400	110	1	-	-

TopZinc Tape S -zabezpieczenie antykorozyjne stali kształtowej


DOBÓR ILOŚCI TAŚM TOPZINC TAPE S na 1mb kształtownika- CEOWNIKI UPE



Symbol	Element A lub B [mm]	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
CEOWNIK UPE				
UPE 80	50	1	-	-
UPE 100	55	-	1	-
UPE 120	60	-	1	-
UPE 140	65	-	1	-
UPE 160	70	-	-	1
UPE 180	75	-	-	1
UPE 200	80	-	-	1
UPE 220	85	-	-	1
UPE 240	90	-	-	1
UPE 270	95	2	-	-
UPE 300	100	-	2	-
UPE 330	105	-	2	-
UPE 360	110	-	2	-
UPE 400	115	-	2	-
Symbol	Element C [mm]	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
CEOWNIK UPE				
UPE 80	80	1	-	-
UPE 100	100	1	-	-
UPE 120	120	1	-	-
UPE 140	140	1	-	-
UPE 160	160	1	-	-
UPE 180	180	1	-	-
UPE 200	200	1	-	-
UPE 220	220	1	-	-
UPE 240	240	1	-	-
UPE 270	270	-	1	-
UPE 300	300	-	-	1
UPE 330	330	-	-	1
UPE 360	360	-	-	1
UPE 400	400	-	-	1

TopZinc Tape S -zabezpieczenie antykorozyjne stali kształtowej


DOBÓR ILOŚCI TAŚM TOPZINC TAPE S na 1mb kształtownika – CEOWNIKI E



Symbol	Element A lub B [mm]	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
CEOWNIK E				
80 E	40	-	1	-
100 E	46	-	1	-
120 E	52	-	1	-
140 E	58	-	1	-
160 E	64	-	1	-
180 E	70	-	1	-
200 E	76	-	1	-
240 E	90	-	-	1
270 E	95	-	-	1
300 E	100	-	-	1
400 E	115	2	-	-
Symbol	Element C [mm]	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
CEOWNIK E				
80 E	80	1	-	-
100 E	100	1	-	-
120 E	120	1	-	-
140 E	140	1	-	-
160 E	160	1	-	-
180 E	180	1	-	-
200 E	200	1	-	-
240 E	240	1	-	-
270 E	270	1	-	-
300 E	300	1	-	-
400 E	400	-	1	-

TopZinc Tape S -zabezpieczenie antykorozyjne stali kształtowej

DOBÓR ILOŚCI TAŚM TOPZINC TAPE S na 1mb kształtownika- CEOWNIKI EKONOMICZNE



Symbol	Element A lub B [mm]	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
CEOWNIK EKONOMICZNE				
100 x 100	100	-	1	-
125 x 125	125	-	1	-
150 x 75	75	1	-	-
150 x 150	150	-	-	1
200 x 100	99	1	-	-
200 x 100	100	-	1	-
200 x 200	200	-	-	1
200 x 200	204	-	-	1
200 x 200	202	-	2	-
250 x 250	252	-	-	1
250 x 250	249	-	-	1
250 x 250	250	2	-	-
250 x 250	255	2	-	-
300 x 150	149	-	1	-
300 x 150	150	-	1	-
300 x 200	200	-	-	1
300 x 200	201	2	-	-
300 x 300	302	-	-	1
300 x 300	299	2	-	-
300 x 300	300	-	2	-
300 x 300	305	-	2	-
300 x 300	301	-	2	-
400 x 200	199	-	-	1
400 x 200	200	-	-	1
500 x 200	199	2	-	-
500 x 200	200	-	2	-
500 x 200	201	1	-	1
Symbol	Element C [mm]	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
CEOWNIK EKONOMICZNE				
100 x 100	100	1	-	-
125 x 125	125	1	-	-
150 x 75	150	1	-	-
150 x 150	150	1	-	-
200 x 100	198	1	-	-
200 x 100	200	1	-	-
200 x 200	200	-	1	-
200 x 200	200	-	-	1
200 x 200	208	-	-	1
250 x 250	244	-	-	1
250 x 250	248	-	1	-
250 x 250	250	-	1	-
250 x 250	250	2	-	-
300 x 150	298	1	-	-
300 x 150	300	1	-	-
300 x 200	294	-	1	-
300 x 200	298	-	1	-
300 x 300	294	-	-	1
300 x 300	298	-	1	-
300 x 300	300	-	-	1
300 x 300	300	2	-	-
300 x 300	304	-	-	1
400 x 200	396	1	-	-
400 x 200	400	-	1	-
500 x 200	496	-	1	-
500 x 200	500	-	-	1
500 x 200	506	-	-	1

TopZinc Tape S -zabezpieczenie antykorozyjne stali

DOBÓR ILOŚCI TAŚM TOPZINC TAPE S na 1mb – PŁASKOWNIKI

PŁASKOWNIKI- ilość doboru dla całej powierzchni płaskownika

Symbol	Element [mm]	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
PIASKOWNIKI				
12x3	12	1	-	-
16x3	16	1	-	-
20x3	20	1	-	-
26x3	26	1	-	-
30x3	30	1	-	-
35x3	35	1	-	-
40x3	40	1	-	-
50x3	50	1	-	-
60x3	60	1	-	-
70x3	70	1	-	-
75x3	75	1	-	-
80x3	80	1	-	-
100x3	100	1	-	-
120x3	120	1	-	-
150x3	150	1	-	-
15x4	15	1	-	-
20x4	20	1	-	-
25x4	25	1	-	-
30x4	30	1	-	-
35x4	35	1	-	-
40x4	40	1	-	-
50x4	50	1	-	-
60x4	60	1	-	-
70x4	70	1	-	-
80x4	80	1	-	-
100x4	100	1	-	-
15x5	15	1	-	-
20x5	20	1	-	-
25x5	25	1	-	-
30x5	30	1	-	-
35x5	35	1	-	-
40x5	40	1	-	-
45x5	45	1	-	-
50x5	50	1	-	-
60x5	60	1	-	-
65x5	65	1	-	-
70x5	70	1	-	-
75x5	75	1	-	-
80x5	80	1	-	-
90x5	90	1	-	-
100x5	100	1	-	-
110x5	110	1	-	-
120x5	120	1	-	-
130x5	130	1	-	-
150x5	150	1	-	-
200x5	200	1	-	-
250x5	250	1	-	-
12x6	12	1	-	-
15x6	15	1	-	-
20x6	20	1	-	-
25x6	25	1	-	-
30x6	30	1	-	-
35x6	35	1	-	-
40x6	40	1	-	-
45x6	45	1	-	-
50x6	50	1	-	-
55x6	55	1	-	-
60x6	60	1	-	-
70x6	70	1	-	-
75x6	75	1	-	-
80x6	80	1	-	-
90x6	90	1	-	-
100x6	100	1	-	-
110x6	110	1	-	-
120x6	120	1	-	-

TopZinc Tape S -zabezpieczenie antykorozyjne stali

DOBÓR ILOŚCI TAŚM TOPZINC TAPE S na 1mb – PŁASKOWNIKI

Symbol	Element [mm]	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
PIASKOWNIKI				
130x6	130	1	-	-
140x6	140	1	-	-
150x6	150	1	-	-
180x6	180	1	-	-
200x6	200	1	-	-
250x6	250	1	-	-
15x8	15	-	1	-
20x8	20	-	1	-
25x8	25	-	1	-
30x8	30	-	1	-
35x8	35	-	1	-
40x8	40	-	1	-
45x8	45	-	1	-
50x8	50	-	1	-
60x8	60	-	1	-
65x8	65	-	1	-
70x8	70	-	1	-
75x8	75	-	1	-
80x8	80	-	1	-
90x8	90	-	1	-
100x8	100	-	1	-
110x8	110	-	1	-
120x8	120	-	1	-
130x8	130	-	1	-
140x8	140	-	1	-
150x8	150	-	1	-
160x8	160	-	1	-
180x8	180	-	1	-
200x8	200	-	1	-
250x8	250	-	1	-
300x8	300	-	1	-
15x10	15	-	-	1
20x10	20	-	-	1
25x10	25	-	-	1
30x10	30	-	-	1
35x10	35	-	-	1
40x10	40	-	-	1
45x10	45	-	-	1
50x10	50	-	-	1
55x10	55	-	-	1
60x10	60	-	-	1
65x10	65	-	-	1
70x10	70	-	-	1
75x10	75	-	-	1
80x10	80	-	-	1
90x10	90	-	-	1
100x10	100	-	-	1
110x10	110	-	-	1
120x10	120	-	-	1
130x10	130	-	-	1
140x10	140	-	-	1
150x10	150	-	-	1
160x10	160	-	-	1
170x10	170	-	-	1
180x10	180	-	-	1
200x10	200	-	-	1
250x10	250	-	-	1
300x10	300	-	-	1
20x12	20	-	-	1
25x12	25	-	-	1
30x12	30	-	-	1
35x12	35	-	-	1
40x12	40	-	-	1
45x12	45	-	-	1
50x12	50	-	-	1
60x12	60	-	-	1
70x12	70	-	-	1
75x12	75	-	-	1
80x12	80	-	-	1
90x12	90	-	-	1
100x12	100	-	-	1
110x12	110	-	-	1
120x12	120	-	-	1
130x12	130	-	-	1
140x12	140	-	-	1
150x12	150	-	-	1

TopZinc Tape S -zabezpieczenie antykorozyjne stali

DOBÓR ILOŚCI TAŚM TOPZINC TAPE S na 1mb – PŁASKOWNIKI

Symbol	Element [mm]	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
PŁASKOWNIKI				
160x12	160	-	-	1
180x12	180	-	-	1
200x12	200	-	-	1
250x12	250	-	-	1
300x12	300	-	-	1
20x15	20	-	2	-
25x15	25	-	2	-
30x15	30	-	2	-
35x15	35	-	2	-
40x15	40	-	2	-
45x15	45	-	2	-
50x15	50	-	2	-
60x15	60	-	2	-
70x15	70	2	-	-
75x15	75	-	2	-
80x15	80	-	2	-
90x15	90	-	2	-
100x15	100	-	2	-
110x15	110	-	2	-
120x15	120	-	2	-
130x15	130	-	2	-
140x15	140	-	2	-
150x15	150	-	2	-
160x15	160	-	2	-
180x15	180	-	2	-
200x15	200	-	2	-
250x15	250	-	2	-
300x15	300	-	2	-
400x15	400	-	2	-
25x20	25	1	-	1
30x20	30	1	-	1
35x20	35	1	-	1
40x20	40	1	-	1
50x20	50	1	-	1
60x20	60	1	-	1
70x20	70	1	-	1
80x20	80	1	-	1
90x20	90	1	-	1
100x20	100	1	-	1
110x20	110	1	-	1
120x20	120	1	-	1
130x20	130	1	-	1
140x20	140	1	-	1
150x20	150	1	-	1
170x20	170	1	-	1
180x20	180	1	-	1
200x20	200	1	-	1
250x20	250	1	-	1
300x20	300	1	-	1
400x20	400	1	-	1
40x25	40	-	-	2
45x25	45	-	-	2
50x25	50	-	-	2
60x25	60	-	-	2
70x25	70	-	-	2
80x25	80	-	-	2
90x25	90	-	-	2
100x25	100	-	-	2
120x25	120	-	-	2
130x25	130	-	-	2
140x25	140	-	-	2
150x25	150	-	-	2
180x25	180	-	-	2
200x25	200	-	-	2
250x25	250	-	-	2
300x25	300	-	-	2
40x30	40	1	-	2
50x30	50	1	-	2
60x30	60	1	-	2
70x30	70	1	-	2
80x30	80	1	-	2
90x30	90	1	-	2
100x30	100	1	-	2
120x30	120	1	-	2
130x30	130	1	-	2
150x30	150	1	-	2


TopZinc Tape S -zabezpieczenie antykorozyjne stali

DOBÓR ILOŚCI TAŚM TOPZINC TAPE S na 1mb – PŁASKOWNIKI

Symbol	Element [mm]	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
PIASKOWNIKI				
180x30	180	1	-	2
200x30	200	1	-	2
250x30	250	1	-	2
300x30	300	1	-	2
400x30	400	1	-	2
100x35	100	-	1	2
200x35	200	-	1	2
50x40	50	-	-	3
60x40	60	-	-	3
70x40	70	-	-	3
80x40	80	-	-	3
100x40	100	-	-	3
120x40	120	-	-	3
130x40	130	-	-	3
150x40	150	-	-	3
200x40	200	-	-	3
400x40	400	-	-	3
60x50	60	-	-	4
75x50	75	-	-	4
80x50	80	-	-	4
100x50	100	-	-	4
120x50	120	-	-	4
130x50	130	-	-	4
150x50	150	-	-	4
200x50	200	-	-	4
250x50	250	-	-	4
100x60	100	-	1	4
120x60	120	-	-	4

TopZinc Tape S -zabezpieczenie antykorozyjne stali

DOBÓR ILOŚCI TAŚM TOPZINC TAPE S na 1mb kształtownika – KĄTOWNIKI



Symbol	Element A [mm]	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
KĄTOWNIKI RÓWNORAMIENNE				
L 20 x 20 x 3	20	1	-	-
L 25 x 25 x 3	25	1	-	-
L 25 x 25 x 4	25	1	-	-
L 30 x 30 x 3	30	1	-	-
L 30 x 30 x 4	30	1	-	-
L 35 x 35 x 4	35	1	-	-
L 40 x 40 x 4	40	1	-	-
L 40 x 40 x 5	40	1	-	-
L 45 x 45 x 4	45	1	-	-
L 45 x 45 x 4,5	45	1	-	-
L 45 x 45 x 5	45	1	-	-
L 50 x 50 x 4	50	1	-	-
L 50 x 50 x 5	50	1	-	-
L 50 x 50 x 6	50	1	-	-
L 50 x 50 x 7	50	1	-	-
L 55 x 55 x 5	55	1	-	-
L 55 x 55 x 6	55	1	-	-
L 60 x 60 x 4	60	1	-	-
L 60 x 60 x 5	60	1	-	-
L 60 x 60 x 6	60	1	-	-
L 60 x 60 x 8	60	-	1	-
L 65 x 65 x 6	65	1	-	-
L 65 x 65 x 7	65	1	-	-
L 65 x 65 x 8	65	-	1	-
L 70 x 70 x 6	70	1	-	-
L 70 x 70 x 7	70	1	-	-
L 70 x 70 x 8	70	-	1	-
L 70 x 70 x 9	70	-	1	-
L 75 x 75 x 4	75	1	-	-
L 75 x 75 x 5	75	1	-	-
L 75 x 75 x 6	75	1	-	-
L 75 x 75 x 7	75	1	-	-
L 75 x 75 x 8	75	-	1	-
L 75 x 75 x 10	75	-	1	-
L 80 x 80 x 5	80	1	-	-
L 80 x 80 x 6	80	1	-	-
L 80 x 80 x 7	80	1	-	-
L 80 x 80 x 8	80	-	1	-
L 80 x 80 x 10	80	-	1	-
L 90 x 90 x 6	90	1	-	-
L 90 x 90 x 7	90	1	-	-
L 90 x 90 x 8	90	-	1	-
L 90 x 90 x 9	90	-	1	-
L 90 x 90 x 10	90	-	-	1
L 90 x 90 x 11	90	-	-	1
L 100 x 100 x 6	100	1	-	-
L 100 x 100 x 7	100	1	-	-
L 100 x 100 x 8	100	-	1	-
L 100 x 100 x 10	100	-	1	-
L 100 x 100 x 12	100	-	-	1
L 110 x 110 x 8	110	-	1	-
L 110 x 110 x 10	110	-	-	1
L 110 x 110 x 12	110	-	-	1
L 120 x 120 x 8	120	-	1	-
L 120 x 120 x 10	120	-	-	1
L 120 x 120 x 11	120	-	-	1
L 120 x 120 x 12	120	-	-	1
L 120 x 120 x 13	120	-	-	1
L 120 x 120 x 15	120	2	-	-
L 120 x 120 x 16	120	2	-	-
L 130 x 130 x 10	130	-	-	1
L 130 x 130 x 12	130	-	-	1
L 130 x 130 x 13	130	-	-	1
L 130 x 130 x 14	130	2	-	-
L 130 x 130 x 16	130	2	-	-
L 150 x 150 x 10	150	-	-	1
L 150 x 150 x 12	150	-	-	1

TopZinc Tape S -zabezpieczenie antykorozyjne stali

DOBÓR ILOŚCI TAŚM TOPZINC TAPE S na 1mb kształtownika – KĄTOWNIKI



Symbol	Element A [mm]	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
KĄTOWNIKI RÓWNORAMIENNE				
L 150 x 150 x 13	150	-	-	1
L 150 x 150 x 14	150	2	-	-
L 150 x 150 x 15	150	2	-	-
L 150 x 150 x 16	150	-	2	-
L 150 x 150 x 18	150	-	2	-
L 150 x 150 x 20	150	1	-	1
L 160 x 160 x 14	160	2	-	-
L 160 x 160 x 15	160	2	-	-
L 160 x 160 x 16	160	-	2	-
L 160 x 160 x 17	160	-	2	-
L 180 x 180 x 13	180	-	-	1
L 180 x 180 x 14	180	2	-	-
L 180 x 180 x 15	180	2	-	-
L 180 x 180 x 16	180	-	2	-
L 180 x 180 x 17	180	-	2	-
L 180 x 180 x 18	180	-	2	-
L 180 x 180 x 19	180	-	2	-
L 180 x 180 x 20	180	1	-	1
L 200 x 200 x 15	200	-	2	-
L 200 x 200 x 16	200	-	2	-
L 200 x 200 x 17	200	-	2	-
L 200 x 200 x 18	200	-	2	-
L 200 x 200 x 19	200	-	2	-
L 200 x 200 x 20	200	1	-	1
L 200 x 200 x 21	200	1	-	1
L 200 x 200 x 22	200	-	1	1
L 200 x 200 x 23	200	-	1	1
L 200 x 200 x 24	200	-	-	2
L 200 x 200 x 25	200	-	-	2
L 200 x 200 x 26	200	-	-	2
L 250 x 250 x 20	250	1	-	1
L 250 x 250 x 21	250	-	1	1
L 250 x 250 x 22	250	-	1	1
L 250 x 250 x 23	250	-	1	1
L 250 x 250 x 24	250	-	-	2
L 250 x 250 x 25	250	-	-	2
L 250 x 250 x 26	250	-	-	2
L 250 x 250 x 27	250	-	-	2
L 250 x 250 x 28	250	-	-	2
L 250 x 250 x 35	250	1	-	2

TopZinc Tape S -zabezpieczenie antykorozyjne stali

DOBÓR ILOŚCI TAŚM TOPZINC TAPE S na 1mb kształtownika - KĄTOWNIKI NIERÓWNOBOKI



Symbol	Element A [mm]	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
KĄTOWNIKI NIERÓWNOBOKI				
L 100 x 65 x 6	65	1	-	-
L 100 x 65 x 7	65	-	1	-
L 100 x 65 x 8	65	-	1	-
L 100 x 65 x 9	65	-	-	1
L 100 x 65 x 10	65	-	-	1
L 100 x 65 x 12	70	-	-	1
L 110 x 70 x 10	70	-	-	1
L 110 x 70 x 12	80	-	1	-
L 120 x 80 x 8	80	-	-	1
L 120 x 80 x 10	80	-	-	1
L 120 x 80 x 12	75	-	1	-
L 125 x 75 x 8	75	-	1	-
L 125 x 75 x 9	75	-	1	-
L 125 x 75 x 10	75	-	-	1
L 125 x 75 x 12	90	-	-	1
L 130 x 90 x 10	90	-	-	1
L 130 x 90 x 12	90	-	-	1
L 130 x 90 x 14	90	-	1	-
L 140 x 90 x 8	90	-	-	1
L 140 x 90 x 10	90	-	-	1
L 140 x 90 x 12	90	-	-	1
L 140 x 90 x 14	75	-	1	-
L 150 x 75 x 9	75	-	-	1
L 150 x 75 x 10	75	-	-	1
L 150 x 75 x 11	75	-	-	1
L 150 x 75 x 12	90	-	-	1
L 150 x 90 x 10	90	-	-	1
L 150 x 90 x 11	90	-	-	1
L 150 x 90 x 12	90	2	-	-
L 150 x 90 x 15	100	-	-	1
L 150 x 100 x 10	100	-	-	1
L 150 x 100 x 12	100	-	-	1
L 150 x 100 x 14	100	-	-	1
L 200 x 100 x 10	100	-	-	1
L 200 x 100 x 12	100	2	-	-
L 200 x 100 x 14	100	2	-	-
Symbol	Element B [mm]	TopZinc Tape S 555 [szt]	TopZinc Tape S 705 [szt]	TopZinc Tape S 1005 [szt]
KĄTOWNIKI NIERÓWNOBOKI				
L 100 x 65 x 7	100	1	-	-
L 100 x 65 x 8	100	-	1	-
L 100 x 65 x 9	100	-	1	-
L 100 x 65 x 10	100	-	-	1
L 100 x 65 x 12	100	-	-	1
L 110 x 70 x 10	110	-	-	1
L 110 x 70 x 12	110	-	-	1
L 120 x 80 x 8	120	-	1	-
L 120 x 80 x 10	120	-	-	1
L 120 x 80 x 12	120	-	-	1
L 125 x 75 x 8	125	-	1	-
L 125 x 75 x 9	125	-	1	-
L 125 x 75 x 10	125	-	1	-
L 125 x 75 x 12	155	-	-	1
L 130 x 90 x 10	130	-	-	1
L 130 x 90 x 12	130	-	-	1
L 130 x 90 x 14	130	-	-	1
L 140 x 90 x 8	140	-	1	-
L 140 x 90 x 10	140	-	-	1
L 140 x 90 x 12	140	-	-	1
L 140 x 90 x 14	140	-	-	1
L 150 x 75 x 9	150	-	1	-
L 150 x 75 x 10	150	-	-	1
L 150 x 75 x 11	150	-	-	1
L 150 x 75 x 12	150	-	-	1
L 150 x 90 x 10	150	-	-	1
L 150 x 90 x 11	150	-	-	1
L 150 x 90 x 12	150	-	-	1
L 150 x 90 x 15	150	2	-	-
L 150 x 100 x 10	150	-	-	1
L 150 x 100 x 12	150	-	-	1
L 150 x 100 x 14	150	-	-	1
L 200 x 100 x 10	200	-	-	1
L 200 x 100 x 12	200	-	-	1
L 200 x 100 x 14	200	2	-	-
L 200 x 100 x 15	200	2	-	-